



Symcod

Industrial computers and
IT equipment manufacturer

PC DIN Rail

Industrial PC Box

Simplify your project design and ease installation with this space-saving industrial PC that's designed to be DIN rail mounted. Whether you connect this IPC to an industrial monitor or run an application that does not require a display, this fanless system will be maintenance-free for years.

Increase reliability, stability and flexibility while reducing maintenance with our DIN Rail PC, the perfect device for peace of mind!



PC DIN Rail



Resistance to
dust, welding,
vibration,
shocks, etc.




Reliability for 24/7
operations, SSD and
fanless



North American
premium quality design
and manufacturing, with
top of the line components



Service & support offered for at
least 8 years & emergency unit
replacement program



PC DIN Rail

Technical specifications

Approximate weight	0,95 kg (2,1 lb)
Power supply	DC 9 to 36 V (terminal block) / Power supply provided / Approx. 25 W consumption
Casing	Aluminum
Microprocessor	Intel low power consumption / N3350
Memory (RAM)	4 GB to 8 GB
Memory	64 GB to 240 GB flash drive
Inputs / Outputs	2 USB 3.0 ports / 2 USB 2.0 ports / 1 HDMI port / 1 SVGA port / 2 audio ports (Mic-in, Line-out) / 2 Ethernet 1000BaseT / 2 optional serial ports
Operating system	Windows or Linux
Installation	Ethernet : Minimum CAT5 UTP (unshielded twisted pair) stranded or solid cable
Others	Blue LED (under voltage) / DIN Rail mounting / Earth ground terminal
Certification	CE / FCC / RoHS
Limited warranty	2 years on parts and labour at our workshop (extended warranty available)
Accessories & options	WiFi 802.11 ac/a/b/g/n, Bluetooth and cellular
Environment	Operating temperature : -5 °C to 55 °C (23 °F to 131 °F) Storage temperature : -20 °C to 60 °C (-4 °F to 140 °F) Relative humidity : 20% to 80% without condensation

